

# Serratoga Falls Metropolitan District No. 2

## Website Accessibility Compliance Report

Reporting Period: June 2024

### Compliance Snapshot



#### Number of pages scanned: 18

This website currently has 18 pages that are accessible to the public. All of these pages were scanned and evaluated in preparation of this report.

#### Pages in the process of remediation: 0

This website currently has 0 pages that require remediation to meet full compliance.

Page	Score
------	-------

Issue	Count
-------	-------

#### PDFs in the process of remediation: 7

This website currently has 7 PDFs that require remediation to meet full compliance.

#### Videos in the process of review for closed captioning: 0

This website currently has 0 videos that require review to meet full compliance.

### Accessibility Progress Snapshot

#### Number of pages remediated this month: 0

Throughout this month, 0 pages on this website were fixed.

### **Number of images remediated this month: 0**

Throughout this month, 0 images on this website were fixed.

### **Number of PDFs remediated this month: n/a**

Throughout this month, 0 PDFs on this website were fixed.

---

## Accountability Snapshot

### **Website Accessibility Officer**

Telephone: (970) 484-0101 x 982

---

## About this Report

The scores reported on this page are compiled using various open-source scanning technologies, including Lighthouse. Note that perfect scan scores do not guarantee a perfectly accessibility site for every type of disability.

---

Powered by  STREAMLINE

[Test Your District Website's Accessibility Free](#)